



PREMIUM QUALITY
NATURAL STONE &
PORCELAIN TILE COLLECTION

UNILOCK®
DESIGNED TO CONNECT.



CASTLE GREY GRANITE SHOWN

Going beyond your expectations
providing you with exceptional
quality, durability and distinctive
design capabilities.



10 LIMESTONE

12 SANDSTONE

16 GRANITE

18 LAVASTONE / QUARTZITE

20 CUSTOM NATURAL STONE

24 PORCELAIN LANDSCAPE TILE

UNILOCK
DESIGNED TO CONNECT.



NATURAL STONE

For over 40 years, Unilock has led the landscape industry with the best selection of manufactured hardscape products. Today we are pleased to extend our reputation for uncompromising quality to an impressive line of premium natural stone from Europe and Asia.

Natural Stone from Unilock is aesthetically beautiful and has been selected based on its low water absorption, freeze-thaw durability and flexural strength. It is precisely cut, calibrated and finished with enhanced surface treatments.

Additionally, you can rest assured that the products you specify and purchase from Unilock are sourced from quarries that do not employ child labor. Integrity, safety and fairness are paramount.

REASONS TO CONSIDER NATURAL STONE FROM UNILOCK:

1. **Quality Stone** – Independent lab testing has confirmed that Natural Stone from Unilock has extremely low water absorption, incredible freeze-thaw durability and outstanding flexural strength which will help ensure your project stands the test of time.
2. **Guaranteed** – Unilock was the first company in the industry to offer a Transferable Lifetime Guarantee. This guarantee now also covers Natural Stone from Unilock in residential applications. See website for details.
3. **Superior Processing** – Natural Stone from Unilock is quarried and processed by skilled and trained workers using the most advanced stone processing equipment available, for precisely cut and calibrated natural stone products with enhanced surface treatments.
4. **Product Range** – Natural Stone from Unilock is available in a complete range of subtle and vibrant colors with spectacular surface treatments and complementing steps and coping.
5. **Consistent Supply** - Unilock has secured a supply of natural stone from a network of global partners to ensure consistent reserves and availability for our customers.
6. **Quality Packaging and Logistics** - Our shipments are carefully packaged, inspected and shipped by a network of professional shipping specialists so that our products arrive in excellent condition.
7. **Ethical Trading** - Unilock ensures that these stone products are mined by workers free from exploitation and discrimination, and in conditions of freedom, security and equality.



The Fairstone logo is your assurance that these products are quarried and processed to the strict standards of the Ethical Trading Initiative, ensuring that no child labor is used, fair wages are paid and safe working conditions are maintained.



COMMERCIAL APPLICATIONS

In commercial environments, Premium Quality Natural Stone from Unilock offers a wide range of design solutions. Its extreme strength allows much thinner stone to be used and its low water absorption means that maintenance is reduced. This ensures that your project will stand up to demanding commercial environments and look great for years. Using your design expertise together with our technical experience and trusted supply chain, together we will turn your concept into reality.







RESIDENTIAL APPLICATIONS

In residential environments, Premium Quality Natural Stone from Unilock offers solutions for every style. The high quality products let you design beautiful and practical environments for every residential application: front entrance, back yard, walkways and even driveways. Our supply chain allows us to verify that all the natural stone is ethically produced, adding yet another level of reassurance to your design.





LIMESTONE



Unilock Indian Limestone is ideal for paving in our northern climate because of its high compressive strength and low absorption rate. This means that the stone won't split or change color and your design vision will remain intact.

RIVEN SURFACE



HEARTHSTONE
Sawn Edge



BLACK RIVER
Sawn Edge

ANTIQUED SURFACE




WINTER MIST
Sawn Edge




MIDNIGHT SHADOW
Sawn Edge

PRODUCT SPECIFICATIONS



12 x 24 x $\frac{7}{8}$ "
(300 x 600 x 22mm)



18 x 24 x $\frac{7}{8}$ "
(450 x 600 x 22mm)



24 x 24 x $\frac{7}{8}$ "
(600 x 600 x 22mm)



24 x 36 x $\frac{7}{8}$ "
(600 x 900 x 22mm)



NATURAL EDGE STEP
16 x 48 x 6"
400 x 1200 x 150mm

16 x 71 x 6"
400 x 1800 x 150mm



NATURAL EDGE COPING
12 x 48 x 2"
300 x 1200 x 50mm

16 x 48 x 2"
400 x 1200 x 50mm

12 x 71 x 2"
300 x 1800 x 50mm

16 x 71 x 2"
400 x 1800 x 50mm



FULLNOSE COPING
12 x 48 x 2"
300 x 1200 x 50mm

12 x 71 x 2"
300 x 1800 x 50mm




PILLAR CAP
24 x 24 x 2 1/2"
600 x 600 x 65mm

Note: Hearthstone, Winter Mist and Midnight Shadow are not available in step units and coping.


RIVEN & ANTIQUED SURFACE



RENAISSANCE GOLD
Natural Edge



11 x 22 x $\frac{7}{8}$ "
275 x 560 x 22mm



16 1/2 x 22 x $\frac{7}{8}$ "
417 x 560 x 22mm



22 x 22 x $\frac{7}{8}$ "
560 x 560 x 22mm



22 x 33 x $\frac{7}{8}$ "
560 x 845 x 22mm

Note: Natural Stone from Unilock is precisely processed with only a +/- 2mm variance. All sizes are nominal.



SANDSTONE



Unilock Indian Sandstone is available in beautiful colors and finishes with outstanding test results. This translates into beautiful projects that will stand the test of time.

RIVEN SURFACE



STONE CLIFF GREY
Natural Edge



AUTUMN HARVEST
Natural Edge

SANDBLASTED & BRUSHED SURFACE



GREYFIELD
Sawn Edge



INDIAN COAST
Sawn Edge

FLAMED SURFACE



SILVER BIRCH
Sawn Edge



PRAIRIE ROSE
Sawn Edge




RIVERBANK
Sawn Edge

HONED SURFACE




NIAGARA VALLEY
Sawn Edge

PRODUCT SPECIFICATIONS



12 x 24 x 7/8"
300 x 600 x 22mm



18 x 24 x 7/8"
450 x 600 x 22mm



24 x 24 x 7/8"
600 x 600 x 22mm



24 x 36 x 7/8"
600 x 900 x 22mm



NATURAL EDGE STEP
16 x 48 x 6"
400 x 1200 x 150mm

16 x 71 x 6"
400 x 1800 x 150mm



NATURAL EDGE COPING
12 x 48 x 2"
300 x 1200 x 50mm

12 x 71 x 2"
300 x 1800 x 50mm

16 x 48 x 2"
400 x 1200 x 50mm

16 x 71 x 2"
400 x 1800 x 50mm



FULLNOSE COPING
12 x 48 x 2"
300 x 1200 x 50mm

12 x 71 x 2"
300 x 1800 x 50mm



PILLAR CAP
24 x 24 x 2 1/2"
600 x 600 x 65mm

Note: Riverbank is not available in step units, coping or pillar cap.



LEGATO



These plank shaped sandstones in premixed color combinations are a high-caliber paving product with stunning aesthetic possibilities. Suitable for light-duty vehicular applications on a rigid bedding course.

PRE-MIXED COLOR COMBINATIONS

SHOT BLASTED & BRUSHED SURFACE



PRE-MIX A

60% TIDAL BEIGE, 30% PEARL ASH,
10% MOROCCAN DUSK
Sawn Edge



PRE-MIX B

50% SPICED BEIGE, 25% STORM GREY,
25% PEARL ASH
Sawn Edge



PRE-MIX C

45% EBONY SAND, 45% STORM GREY,
10% PEARL ASH
Sawn Edge

COLORS (Individual colors and combinations available by custom order)



SPICED BEIGE



PEARL ASH



MOROCCAN DUSK



TIDAL BEIGE



STORM GREY



EBONY SAND

PRODUCT SPECIFICATIONS



5 x 24 x 2"
130 x 600 x 50mm



5 x 24 x 2½"
130 x 600 x 65mm




GRANITE




Granite is one of the most durable natural stones available to the commercial hardscape market. Our global partners provide access to the best granite and a reliable supply chain so you can rest assured that your project will run smoothly.

FINE PICKED SURFACE



POLAR WHITE
Sawn Edge



TUNGSTEN GREY
Sawn Edge



SABLE BLACK
Sawn Edge


FLAMED SURFACE



GALAXY FROST
Sawn Edge




CASTLE GREY
Sawn Edge




BLACK OYSTER
Sawn Edge

PRODUCT SPECIFICATIONS

3 Size Random Crate & Single Size Crates Available



12 x 12 x 1"
300 x 300 x 25mm




12 x 24 x 1"
300 x 600 x 25mm



24 x 24 x 1"
600 x 600 x 25mm

Single Size Crates Available



12 x 24 x 2"
300 x 600 x 50mm



24 x 24 x 2"
600 x 600 x 50mm



12 x 36 x 2"
300 x 900 x 50mm



18 x 36 x 2"
450 x 900 x 50mm



LAVASTONE

Fine-grained igneous rock created through the rapid cooling of lava at or near the earth's surface create this magnificent looking stone. Lavastone is hard wearing and scratch resistant, making it very suitable for many outdoor commercial applications.



HONED SURFACE



GRAPHITE
Sawn Edge

SAWN SURFACE



MOLTEN GREY
Sawn Edge

PRODUCT SPECIFICATIONS GRAPHITE ONLY




24 x 24 x 1 1/8"
600 x 600 x 30mm



12" x 36" x 1 1/8"
300 x 900 x 30mm

PRODUCT SPECIFICATIONS MOLTEN GREY ONLY

RANDOM MULTI-SIZE BUNDLES



12 - 20 x 12 x 1 1/8"
300 - 500 x 300 x 30mm




16 - 24 x 16 x 1 1/8"
400 - 600 x 400 x 30mm

QUARTZITE

The distinct fine-veined texture of this mica quartzite from Europe proves to be very solid, compact and frost resistant. Used in projects world-wide, this stone adds a distinct element to any project.



LEATHERED SURFACE



MICA GREY
Sawn Edge

PRODUCT SPECIFICATIONS

RANDOM MULTI-SIZE BUNDLES



16 - 32 x 16 x 1 1/8"
400 - 800 x 400 x 30mm



2 3/8 - 3 1/8 x 16 - 24 x 2 1/2"
60 - 80 x 400 - 600 x 63mm



4 - 4 3/4 x 16 - 51 x 4 1/2"
100 - 120 x 400 - 1300 x 116mm



UNILOCK DESIGN PARTNERSHIP

CUSTOM OPTIONS

The products featured in this catalog are not the only possibilities we have to offer. Natural Stone from Unilock can be custom ordered to meet the unique requirements of any project.

Leveraging our global network, your local Unilock Representative can work with you to determine the best type of stone for your project and exactly the size you need in terms of shape, thickness and edge details.

We also offer slabs, walls and unique requests!

Speak to your local Unilock Representative and learn how our Design Partnership services can help you ensure that every detail is addressed in the specification for your project and in the final delivery and installation of Natural Stone from Unilock.

We're here to help bring your artistic vision to life.

FINISH OPTIONS

Beyond the type of stone, size and edge detail you choose, the type of finish can have a dramatic impact on the color and feel of the final project.

We offer a variety of finishes for custom orders, including but not limited to:



SAWN



RIVEN A surface with the texture of natural breakage




FLAMED
A weathered texture finish



HONED
A smooth matte finish



FINE PICKED
A stippled, granular texture



LEATHERED A lightly textured finish with a soft sheen.



SHOT BLASTED & BRUSHED
Matte finish with sandy texture



SAND BLASTED & BRUSHED
A slightly bumpy, soft feel



FLAMED & CLEAR BLASTED
A weathered, softened texture



ANTIQUED
A timeworn, aged appearance

For further help in determining the best finish for your project, contact your Unilock Representative.




NATURAL STONE


ON GRADE INSTALLATION

Unilock Premium Quality Natural Stone is manufactured to meet or exceed ASTM C615. Install on grade in accordance with local building codes, site-specific structural requirements and specifications from structural engineer. Contact your Unilock Representative for more detailed installation instructions.


OPEN-GRADED BASE



CEMENTITIOUS BEDDING



MODIFIED MORTAR BEDDING




INSTALLATION OPTIONS


ROOF DECK INSTALLATION SYSTEMS

Unilock Premium Quality Natural Stone can be installed on the roof deck using different installation systems, relevant to the site conditions. The cross sections below are examples of the type of installation. Please contact your Unilock Representative for further technical information.


PEDESTAL SYSTEM



GRANULAR BASE SYSTEM



SAND SET WITH DRAINAGE MAT AND INSULATION





PORCELAIN TILE

Unilock leads the landscape industry with the best selection of manufactured hardscape products that now includes an impressive line of premium Porcelain Tile.

Porcelain Landscape Tile from Unilock is not only beautiful and extremely durable, but comes to you from a reliable supplier network which ensures consistent supply and exceptional quality.

REASONS TO CONSIDER PORCELAIN TILE FROM UNILOCK:


1. **Durability** - Porcelain Landscape Tile from Unilock is designed to withstand the outdoor elements. With incredible freeze-thaw durability, extremely low water absorption and tremendous resistance to scratches, mold, stains and salt, Porcelain Tile from Unilock will help ensure your project stands the test of time.
2. **Design** - Our new line of porcelain tile provides unique stone finishes or wood grain textures to create a one-of-a-kind project for any installation.
3. **Installation Ease** - Porcelain Landscape Tile from Unilock offers three installation solutions depending on the desired destination of the project: pedestal installation, open graded base installation, or traditional thin set adhesive installation. The monolithic, large slab design allows for a quick and easy placement.
4. **Ability to inspect, remove and reuse** - When using a dry system installation on gravel or on pedestals, Porcelain Landscape Tiles from Unilock are easy to inspect and remove without having to use aggressive extraction methods that often lead to breaking or cracking.
5. **Consistent Supply** - Unilock has secured a supply of porcelain tile from a network of global partners to ensure consistent reserves and availability for our customers.



COMMERCIAL APPLICATIONS

In commercial environments, Porcelain Landscape Tile from Unilock offers a wide range of design solutions. The colorfastness and stain resistance of Porcelain Landscape Tile from Unilock, make it ideal for overlay applications on new and existing concrete, pool decks and amenity spaces.







RESIDENTIAL APPLICATIONS

Residential environments often have retrofit and restoration challenges uniquely suited for Porcelain Landscape Tile from Unilock. Ideal for overlay applications on new and existing concrete, this is a great product for pools decks, balconies and patios where a traditional landscape installation may not be suited.





TRAVSTONE PORCELAIN TILE



TRAVSTONE BEIGE



TRAVSTONE NOCE

PRODUCT SPECIFICATIONS



24 x 24 x $\frac{3}{4}$ "
600 x 600 x 20mm

GOTHAM PORCELAIN TILE



GOTHAM BEIGE



GOTHAM GREY




GOTHAM NERO

PRODUCT SPECIFICATIONS



24 x 24 x 3/4"
600 x 600 x 20mm

DAVINCI PORCELAIN TILE



DAVINCI BIRCH



DAVINCI DRIFTWOOD

PRODUCT SPECIFICATIONS



24 x 24 x 3/4"
600 x 600 x 20mm

EPOKAL PORCELAIN TILE



EPOKAL BEIGE SCURO



EPOKAL GREY



EPOKAL BEIGE

PRODUCT SPECIFICATIONS



16 x 32 x 3/4"
400 x 800 x 20mm

CAESAR PORCELAIN TILE



CERAMICHE
•CÆSAR•
LA CULTURA DELLA MATERIA



BEOLA BIANCA



GOLDEN STONE



GRAUSTEIN

PRODUCT SPECIFICATIONS



24 x 24 x $\frac{3}{4}$ "
600 x 600 x 20mm




PORCELAIN TILE


ON GRADE INSTALLATION

Porcelain Landscape Tile from Unilock may be installed on grade in accordance with local building codes and ANSI/CTI A108.1 Specification for the Installation of Ceramic Tile. The diagrams below are only a guide. Installation should conform with site specific structural and installation specification from a structural engineer. Contact your Unilock Representative for more detailed installation instructions.


OPEN GRADED BASE



INTERLOCKING POLYETHYLENE FOAM BOARD



PEDESTAL ON CONCRETE




INSTALLATION OPTIONS


ROOF DECK INSTALLATION SYSTEMS

Porcelain Landscape Tile from Unilock can be installed on the roof deck using different installation systems, relevant to the site conditions. The cross sections below are examples of this type of installation. Please contact your Unilock Representative for further technical information.


PEDESTAL SYSTEM



GRANULAR BASE SYSTEM



SAND SET WITH DRAINAGE MAT AND INSULATION









UNILOCK.COM | 1-800-UNILOCK

BOSTON
(508) 278-4536

OHIO
(330) 927-4000

NEW YORK
(845) 278-6700

BUFFALO
(716) 822-6074

MICHIGAN
(248) 437-7037

ONTARIO
(416) 646-9000

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

Color ranges may vary from order to order. Natural Stone from Unilock is precisely processed with only a +/- 2mm variance.

©2016 Hengestone Holdings, Inc.

